

Table A.2. Summary of TCVP Occupational/Residential Pet Products			
EPA Reg. No.	Use Site	Application Rate	Use Restrictions
Collars			
2596-49 (collar weight: 11.3 g)	Cats	11.3 gram collar (14.6 % ai) Total ai: 0.0036 lb ai or 1,650 mg ai 20% removed: 1,320 mg ai	Do not use in kittens under 12 weeks of age. Place the collar around the cat's neck, adjust for proper fit, and buckle in place. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Replace the collar every 3 months, every 2 months for severe infestation.
2596-50 (collar weight: 19 g)	Dogs	19 gram collar (14.6 % ai) Total ai: 0.0061 lb ai or 2,774 mg ai 20% removed: 2,219 mg ai	Do not use on puppies less than 6 weeks of age. Place the collar around the dog's neck, adjust for proper fit, and buckle in place. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Replace the collar every 3 months, every 2 months for severe infestation.
2596-62 (collar weight: 19 – 32 g)		32 gram collar (14.6 % ai) Total ai: 0.0103 lb ai or 4,672 mg ai 20% removed: 3,738 mg ai	
2596-63 (collar weight: 15 – 17 g)	Cats	15 gram collar (14.6% ai) Total ai: 0.0048 lb ai or 2,190 mg ai 20% removed: 1,752 mg ai 17 gram collar (14.6% ai) Total ai: 0.0055 lb ai or 2,482 mg ai 20% removed: 1,986 mg ai	Do not use on kittens less than 12 weeks of age. Place the collar around the cat's neck, adjust for proper fit, and buckle in place. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Replace the collar every 5 months, every 4 months for severe infestation.
2596-83 (collar weight: 12 – 25 g)	Cats	12 gram collar (14.6% ai) Total ai: 0.0039 lb ai or 1,752 mg ai 20% removed: 1,402 25 gram collar (14.6% ai) Total ai: 0.0080 lb ai or 3,650 mg ai 20% removed: 2,920 mg ai	Do not use on kittens less than 12 weeks of age. Place the collar around the cat's neck, adjust for proper fit, and buckle in place. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Replace the collar every 7 months, every 5 months for severe infestation.
2596-139 (collar weight: 5 – 25 g ¹ ; assumed lower end of range for cats)	Cats	5 gram collar (14.6% ai) Total ai: 0.0016 lb ai or 730 mg ai 20% removed: 584 mg ai	Do not use on puppies under 6 weeks old/ kittens under 12 weeks old. Place the collar around the cat's/dog's neck, adjust for proper fit, and buckle in place. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Replace the collar every 7 months, or more frequently for severe infestation.
2596-84 (collar weight: 19 – 32 g)	Dogs	19 gram collar (14.6% ai) Total ai: 0.0061 lb ai or 2,774 mg ai 20% removed: 2,219 mg ai 32 gram collar (14.6% ai) Total ai: 0.0103 lb ai or 4,672 mg ai 20% removed: 3,738 mg ai	Do not use on puppies under 6 weeks of age. Place the collar around the dog's neck, adjust for proper fit, and buckle in place. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Replace the collar every 7 months, every 5 months for severe infestation.
2596-139 (collar weight: 5 – 25 g ¹ ; assumed lower end of range for cats)	Dogs	25 gram collar (14.6% ai) Total ai: 0.0080 lb ai or 3,650 mg ai 20% removed: 2,920 mg ai	Do not use on puppies under 6 weeks old/ kittens under 12 weeks old. Place the collar around the cat's/dog's neck, adjust for proper fit, and buckle in place.

Table A.2. Summary of TCVF Occupational/Residential Pet Products			
EPA Reg. No.	Use Site	Application Rate	Use Restrictions
			Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Replace the collar every 7 months, or more frequently for severe infestation.
Dusts/Powders			
2596-78	Cats	0.3 ounce of powder for a small cat or 0.5 ounce for a large cat (3.3% ai) Small cat: 8.5 grams product = 0.00062 lb ai or 280.5 mg ai Large cat: 14.2 grams product = 0.00103 lb ai or 468.6 mg ai	Not for use on kittens less than 12 weeks of age. Dust entire cat beginning at head and working back. Use approximately 1/3 ounce of powder for a small cat or ½ ounce for a large cat. Repeat at weekly intervals if necessary.
2596-79	Dogs	0.5 ounce of powder for a small dog; 1 oz for a medium dog; and 1.25 oz for large dogs (3.3% ai) Small: 14.2 grams product = 0.00103 lb ai or 468.6 mg ai Medium: 28.4 grams product = 0.00206 lb ai or 937.2 mg ai Large: 35.5 grams product = 0.00258 lb ai or 1171.5 mg ai	Not for use on puppies less than 12 weeks of age. Dust entire dog beginning at the head and working back. Make sure powder gets down to the skin. Lightly dust the dog’s bedding with approximately the same amount of powder. Repeat treatment of dog and bedding at weekly intervals if necessary. Use ½ ounce of powder for a small dog; 1 oz for a medium dog; and 1 ¼ oz for large dogs.
47000-123	Cats	0.3 oz (8.5 grams) of powder per every 10 pounds of body weight (1.0% ai) Estimated Range: Small (5 lbs): 4.25 grams product = 0.00009 lb ai or 42.5 mg ai Medium (12 lbs): 10.2 grams product = 0.00022 lb ai or 102 mg ai Large (18 lbs): 15.3 grams product = 0.00034 lb ai or 153 mg ai, large	Do not apply to kittens or puppies under 12 weeks old. Dust powder evenly over the animal and rub thoroughly through the hair coat to skin. Use 1/3 oz (8.5 grams) of powder per every 10 pounds of body weight of your cat or dog. Do not reapply product for 30 days. *PPE: Baseline clothing, coveralls, gloves and dust mist respirator.
	Dogs	1/3 oz (8.5 grams) of powder per every 10 pounds of body weight (1.0% ai) Estimated Range: Small (20 lbs): 17 grams product = 0.00037 lb ai or 170 mg ai Medium (50 lbs): 42.5 grams product = 0.00094 lb ai or 425 mg ai Large (80 lbs): 68 grams product = 0.0015 lb ai or 680 mg ai	
Pump/Trigger Sprays ²			
2596-125	Dogs (Trigger)	1.1% ai Small: 30 strokes = 27.78 grams product = 0.00066 lb ai or 300 mg ai Medium: 40 strokes = 37.04 grams product = 0.00088 lb ai or 400 mg ai Large: 70 strokes = 64.82 grams product = 0.0015 lb ai or 700 mg ai, large	Do not apply to pets (puppies) less than 6 weeks old. Hold bottle upright about 6 inches from pet. Spray lightly until the tips of the pet’s hair are moist. Rub spray into animal’s coat. Repeat once per week. Recommended dosage: Spray 25-30 strokes for a small dog. Spray 30-40 strokes for a medium dog. Spray 40-70 strokes for a large dog. More spray may be needed for longhaired dogs. ³
2596-126	Cats (Trigger)	1.1% ai	Do not apply to pets (kittens) less than 6 weeks old.

Table A.2. Summary of TCVP Occupational/Residential Pet Products			
EPA Reg. No.	Use Site	Application Rate	Use Restrictions
		Small: 25 strokes = 23.15 grams product = 0.00055 lb ai or 250 mg ai Large: 35 strokes = 32.41 grams product = 0.00077 lb ai or 350 mg ai	Hold bottle upright about 6 inches from pet. Spray lightly until the tips of the pet's hair are moist. Rub spray into animal's coat. Repeat once per week. Recommended dosage: Spray 15-25 strokes for a small cat. Spray 25-35 strokes for a large cat. More spray may be needed for longhaired cats. ³
2596-140	Cats ⁵ (Pump)	1.1% ai Small: 25 strokes = 4.73 grams product = 0.00011 lb ai or 51 mg ai Large: 35 strokes = 6.62 grams product = 0.00016 lb ai or 71 mg ai	Do not use on puppies or kittens less than 12 weeks old. Hold bottle upright about 6 inches from pet. Spray lightly until the tips of the pet's hair are moist. Rub spray into animal's coat. Repeat once per week. Recommended dosage: Spray 15-25 strokes for a small cat. Spray 25-35 strokes for a large cat. ⁴ Recommended dosage: Spray 25-35 strokes for a small dog. Spray 30-40 strokes for a medium dog. Spray 40-70 strokes for a large dog. ⁴
	Cats ⁵ (Trigger)	1.1% ai Small: 25 strokes = 23.15 grams product = 0.00055 lb ai or 250 mg ai Large: 35 strokes = 32.41 grams product = 0.00077 lb ai or 350 mg ai	
	Dogs (Trigger)	1.1% ai Small: 35 strokes = 32.41 grams product = 0.00077 lb ai or 350 mg ai Medium: 40 strokes = 37.04 grams product = 0.00088 lb ai or 400 mg ai Large: 70 strokes = 64.82 grams product = 0.0015 lb ai or 700 mg ai	